

HG Roof two

Carlisle	Resitrix CL SK	EPDM	620°C	8-10	1,8m	
AWT Hr. Wein	Resitrix CL SK	EPDM	620°C	8-10	1,8m	
Bauder	Thermoplan	FPO	520-550°C	8-10	1,8-2,0m	
	Thermofin	FPO	520°C	8-10	1,8-2,0m	
	Thermofol	PVC	480-540°C	8-10	1,5-2,0m	
Alwitra	Evalon V	PVC	570-600°C	8-10	1,8-2,0m	
AWT Hr. Fuchs	Evalastic V	EPDM	540-580°C	8-10	1,5-1,8m	
Wolfin	Tectofin 1,5mm	PVC	540°C	8	1,8m	3x 1 kg
	Everguard 1,5 mm	FPO	540°C	8	1,8m	3x 1 kg
	Cosmofin GG 1,5mm	PVC	560°C	8	1,8m	3x 1 kg
	Wolfin M 1,5mm	PVC-P-BV	560°C	8	1,8m	3x 1 kg
Schedetal	ExtruPol	FPO	600-620°C		1,5m	
Soprema	Flagon/FPO-1,5 mm	FPO	480°C	8	2,0m	
	Flagon SR/SV	PVC	550°C	8	2,0m	
	Flagon SR/SV	PVC	520°C, 550°C	8	2,0-2,2 m	1x 1 kg
	Flagon/FPO-2,5 mm	FPO Premio	500°C	8	2,0m	1x 1 kg
FDT	Rhepanol hg	PIB-Kunststoff	540-560°C	8-10	1,8m	
	Rhenofol CV	PVC	520-540°C	8-10	1,8m	
Duraproof	Novoproof - DA-K	EPDM	590°C	10	2,0m	2x 1 kg
Firestone	Ultra Ply	FPO	590°C	8	1,8m	3x 1 kg
Köster	Köster TPO	TPO	530-560°C		1,8m	
Renolit	Renolit Alkortop	TPO	520°C	10	2,0m	
	Renolit Alkorplan	PVC-P				
Mapei	Mapeplan T FPO	FPO	550°C	8-10	1,8m	
	Mapeplan PVC-P	PVC	580-600°C	8-10	1,5-1,8m	
Sika	Sarnafil	PVC				
Polyfin	3018/3020	FPO / TPO	580°C	8	1,8m	
Icopal	Universal					

