Outdoor light without sensor

L 800 C

Anthracite EAN 4007841 079291 Article number 079291









3000 K



20 - 50% basic













3000K warm-white

Settings via App

Function description

Elegant and clear. The L 800 C downlight without sensor is an exceptionally elegant LED outdoor light. It is a marriage between sophisticated product design and durable material quality (aluminium). Warm white light (3,000 K) with 466 lm at just 7,5 W ensures an inviting lighting mood. It can be interconnected with the sensor version in a flash via Bluetooth, or alternatively can be used as an elegant stand-alone solution.

Technical specifications

Dimensions (L x W x H)	146 x 230 x 88 mm	
With lamp	Yes, STEINEL LED system	
Manufacturer's Warranty	3 years	
Settings via	App, Bluetooth	
With remote control	No	
Version	Anthracite	
PU1, EAN	4007841079291	
Application, place	Outdoors	
Application, room	garden, front door, courtyard & driveway, all round the building, terrace / balcony	
Colour	Anthracite	
includes sheet of self-adhesive numbers	No	
Installation site	wall	
Impact resistance	IK03	
IP-rating	IP44	
Protection class	II	

Mains power supply	220 – 240 V / 50 – 60 Hz	
Output	7,5 W	
Mounting height max.	2,50 m	
Transmitter power	< 1 mW	
Luminous flux total product	466 lm	
Measured luminos flux (360°)	466 lm	
Total product efficiency	62 lm/W	
Colour temperature	3000 K	
Lamp	LED cannot be replaced	
Service life LED L70B50 (25°)	> 60000 h	
Base	without	
LED cooling system	Active and Passive Thermo Control	
Soft light start	Yes	
Interconnection	Yes	
Interconnection via	Bluetooth	
Colour Rendering Index CRI	= 82	

Outdoor light without sensor

L 800 C

Anthracite EAN 4007841 079291 Article number 079291



Technical specifications

Ambient temperature	from -20 up to 40 °C	Optimum mounting height	2 m
Housing material	Aluminium	Product category	Outdoor light without sensor
Cover material	Plastic, opal		

Accessories


Outdoor light without sensor

L 800 C

Anthracite EAN 4007841 079291 Article number 079291




Detection Zone



Possible mounting height: 1,80 m - 2,50 m Orange: radial and tangential

Circuit diagram Bluetooth



Dimension Drawing

