


XLED curved

V2 Anthracite

EAN 4007841 012076



LED

10w



3000K
warm-white



4000K neutral
white



infrared sensor
160°



max. 8 m



IP44



2 - 1000 lux



2 sec - 70 min



ideal 2 m

Function description

Illuminating compact model. Sensor LED floodlight XLED curved with 9 W, compact and discreet lighting solution for building entrances, pathways and co., attractive luminous efficiency (1125 lm) requiring very little energy, sensor reach of up to 8 m, tilting range of +/-30°.

Technical specifications

| | |
|---|--------------------------|
| Dimensions (L x W x H) | 107 x 160 x 120 mm |
| Mains power supply | 220 – 240 V / 50 – 60 Hz |
| Mounting height max. | 4,00 m |
| Sensor Technology | passive infrared |
| Output | 9 W |
| Interconnection | No |
| Luminous flux | 1125 lm |
| Colour temperature | 3000 K |
| Colour variation LED | SDCM3 |
| Colour Rendering Index CRI | 80-89 |
| With lamp | Yes, STEINEL LED system |
| Lamp | LED cannot be replaced |
| LED life expectancy (max. °C) | 50000 h |
| Drop in luminous flux in accordance with LM80 | L70B10 |
| LED cooling system | Passive Thermo Control |
| With motion detector | Yes |
| Detection angle | 160 ° |
| Sneak-by guard | Yes |

| | |
|---|------------------------------|
| Capability of masking out individual segments | No |
| Reach, radial | r = 4 m (22 m ²) |
| Reach, tangential | r = 8 m (89 m ²) |
| Photo-cell controller | Yes |
| Twilight setting | 2 – 1000 lx |
| Time setting | 2 s – 70 Min. |
| Basic light level function | No |
| Soft light start | No |
| Impact resistance | IK03 |
| IP-rating | IP44 |
| Protection class | II |
| Ambient temperature | -20 – 40 °C |
| Housing material | HCMC |
| Cover material | Plastic, opal |
| Manufacturer's Warranty | 3 years |
| PU1, net weight | 0,39 kg |
| Version | Anthracite |
| PU1, EAN | 4007841012076 |

Sensor-switched LED floodlight


XLED curved

V2 Anthracite

EAN 4007841 012076



Detection Zone



Mögliche Montagehöhe: 1,80 m – 4,00 m

Orange: radial

Schwarz: tangential

Dimension Drawing

